



Experts in “What If...”

**DIGITAL TECHNOLOGY  
& PRODUCT**

Reference Guide



# DIGITAL TECHNOLOGY & PRODUCT REFERENCE GUIDE

September 2018



Experts in "What If..."

- On Demand Inkjet
- UV Inkjet
- Color Toner (Laser & LED)
- Dry Toner Electrophotography

In today's business environment superior quality, quick delivery times and cost efficiencies are critical to success.

Wausau Coated's inkjet and color toner based product portfolios fulfill these requirements by providing users of On Demand inkjet, UV inkjet, Color Toner and Dry Toner Electrophotography based technologies with a broad selection of paper and film substrates.



## ON DEMAND INKJET PRINTERS



**Epson ColorWorks C831-Pinfed**



**Print Technology**  
MicroPiezo® Inkjet Technology (**Pigment ink**)

**Web Width**  
3" - 9.5" (76.2 - 241.3 mm)

**Image Area**  
8" x 22" (203 x 559 mm)

**Epson ColorWorks C3500**



**Print Technology**  
MicroPiezo® Inkjet, Technology (**Pigment ink**)

**Web Width**  
Roll fed: 1.2" - 4.25"  
(30-108 mm)  
Fan fold: 2.0" - 4.25"  
(50 - 108 mm)

**Image Area**  
4.1" (104 mm)

Maximum roll diameter of 4" (102 mm)

**Epson ColorWorks C7500, C7500G & C7500GE**



**Print Technology**  
PrecisionCore TFP® with Nozzle Verification Technology (**Pigment ink**)

**Web Width**  
Roll fed: 1.96" - 4.41"  
(50 - 112 mm)

**Image Area**  
4.25" (108 mm)

Maximum roll diameter of 8" (204 mm) on a 3" core

# ON DEMAND INKJET PRINTERS WATER BASED DYE AND PIGMENT INKS

September 2018



Wausau coated

Experts in "What If..."

**NeuraLabel**  
Printing Solutions

**NeuraLabel 300X**



**Print Technology**  
On Demand Inkjet  
HP PageWide Technology  
(**Pigment ink**)

**Web Width**  
1.5" - 8.5" (38 - 215.9 mm)

**Swiftcolor**<sup>™</sup>

**Swift Color SCL-2000P**



**Print Technology**  
Inkjet (**Pigment ink**)

**Web Width**  
1.1" - 2.5" (28-63 mm)

**Web Length**  
0.16" - 15.7" (4 - 400 mm)

**Image Area**  
Width - 0.04" - 2.2" (1-55 mm)  
Length - 0.04" - 15.6" (1-396 mm)

Maximum roll diameter of 2.6" (66 mm) on a 3" core

**Swift Color SCL-4000D/P**



**Print Technology**  
Inkjet (**Dye based or Pigment ink**)

**Web Width**  
1" - 4.72" (25.4 - 120 mm)

**Web Length**  
0.23" - 15.74" (6 - 400 mm)

**Image Area**  
Width - 4.17" or less (105.9 mm)  
Length - 0.11" - 15.62" (3 - 397 mm)

Maximum roll diameter of 7.87" (200 mm) on a 3" core

**Swift Color SCL-8000P**



**Print Technology**  
Inkjet (**Pigment ink**)

**Web Width**  
9.25" (234.95 mm)

**Web Length**  
6.25" (158.75 mm)

**Image Area**  
Width - 8.35" (212.3 mm)  
Length - TBD

**PRIMERA**  
TECHNOLOGY, INC.

**Primera LX500, LX500C & RX500**



**Print Technology**  
Thermal Inkjet  
(**Dye based or Pigment ink**)

**Web Width**  
4.25" (107.95 mm)

**Image Area**  
4" (102 mm)

Maximum roll diameter of 5" (127 mm) on a 2" core

**Primera LX910**



**Print Technology**  
Thermal Inkjet  
(**Pigment ink**)

**Web Width**  
8.375" (213 mm)

**Image Area**  
8.25" (210 mm)

Maximum roll diameter of 6" (152 mm) on a 3" core

**Primera LX2000**



**Print Technology**  
Thermal Inkjet  
(**Pigment ink**)

**Web Width**  
8.375" (213 mm)

**Image Area**  
8.25" (210 mm)

Maximum roll diameter of 6" (152 mm) on a 3" core

**RENA**  
BY NEOPOST

**Mach X**



**Print Technology**  
Memjet Inkjet System  
(**Dye based ink**)

**Web Width**  
2" - 9" (50.8 - 228.6 mm)

**Image Area**  
Up to 8.5" (215.9 mm) width  
30" (762 mm) length

Maximum roll diameter of 10" (254 mm)

# ON DEMAND INKJET PRINTERS

## WATER BASED DYE AND PIGMENT INKS

September 2018



Experts in "What If..."



### Colordyne 1600 Series C



**Print Technology**  
Memjet Inkjet System  
(**Dye based ink**)

**Web Width**  
2" - 9" (50.8 - 228.6 mm)

**Image Area**  
8.75" (222.2 mm)

Maximum roll diameter of 8" (203 mm) on a 3" core

### Colordyne 2600 Commercial Class Series



**Print Technology**  
Memjet Inkjet System  
(**Dye based ink**)

**Web Width**  
2" - 9.5" (50.8 - 241.3 mm)

**Image Area**  
8.77" (222.7 mm)

Maximum roll diameter of 24" (609.6 mm) on a 3" core

### Colordyne 2800 Series Mini Laser Pro



**Print Technology**  
Memjet Inkjet System  
(**Dye based ink**)

**Web Width**  
2" - 9" (51 - 229 mm)

**Image Width**  
8.77" (222.8 mm)

Maximum roll diameter of 12" (305 mm) on a 3" core

### Colordyne 3600 Production Class Series



**Print Technology**  
Memjet Inkjet System  
(**Dye based ink**)

**Web Width**  
2" - 10" (50.8 - 254 mm)

**Image Area**  
8.69" or 17" (220.7 or 431.8 mm)

Maximum roll diameter of 30" (762 mm) on a 3" core



### VIP VP495



**Print Technology**  
Drop On Demand Thermal Inkjet (**Dye based ink**)

**Web Width**  
8.5" (215.9 mm)

Maximum roll diameter of 10" (254 mm) on a 3" core

### VIP VP600



**Print Technology**  
Drop On Demand Thermal Inkjet (**Pigment ink**)

**Web Width**  
8.5" (215.9 mm)

Maximum roll diameter of 10" (254 mm) on a 3" core

### VIP VP700



**Print Technology**  
Memjet Ink Technology  
(**Dye based ink**)

**Web Width**  
2" - 8.5" (50.8 - 215.9 mm)

Maximum roll diameter of 8" (203.2 mm) on a 3" core

### VIP VP750



**Print Technology**  
Memjet Ink Technology  
(**Dye based ink**)

**Web Width**  
8.7" (222 mm)

Maximum roll diameter of 19.7" (500 mm) on a 3" core

# ON DEMAND INKJET PRINTERS

## WATER BASED DYE AND PIGMENT INKS

September 2018



Experts in "What If..."



### Afinia L501



**Print Technology**  
HP Thermal Inkjet  
(**Dye based or Pigment ink**)

**Web Width**  
1.5" - 8.5" (38 -215.9 mm)

Maximum roll diameter of 8"  
(203 mm) on a 3" core

### Afinia L701



**Print Technology**  
HP Thermal Inkjet  
(**Dye based ink**)

**Web Width**  
2" - 8.5" (50.8 -215.9 mm)

Maximum roll diameter of 6"  
(203 mm) on a 3" core

### Afinia L801



**Print Technology**  
HP Thermal Inkjet  
(**Dye based ink**)

**Web Width**  
2" - 8.5" (50.8 -215.9 mm)

Maximum roll diameter of 8"  
(203 mm) on a 3" core

### Afinia L901



**Print Technology**  
Memjet Inkjet System  
(**Dye based ink**)

**Web Width**  
2" - 9" (50.8 - 229 mm)

Maximum roll diameter of 12"  
(304.8 mm) on a 3" core



### Afinia DLP-2100 Mini Press




**Print Technology**  
Memjet Inkjet System  
(**Dye based ink**)

**Web Width**  
9.65" (245 mm)

Maximum roll diameter  
of 17.3" (245 mm) on a 3"  
core



### Muratec PLS-175i



**Print Technology**  
CMYK (**Pigment ink**)

**Web Width**  
5" - 8.5" (127 - 215.9 mm)

Maximum roll diameter of  
14" (360 mm)

### Muratec PLS-475i



**Print Technology**  
CMYK (**Dye based ink**)

**Web Width**  
5" - 8.5" (127 - 215.9 mm)

Maximum roll diameter of  
11.81" (300 mm) on a 3"  
core

### Muratec PLS-875i



**Print Technology**  
CMYK (**Dye based ink**)

**Web Width**  
3.18" - 9.5" (80.8 - 240  
mm)

Maximum roll diameter  
of 19.69" (500 mm) on a  
3" core

# ON DEMAND INKJET PRINTERS

## WATER BASED DYE AND PIGMENT INKS

September 2018



Experts in "What If..."



Kiario! Series



**Print Technology**  
CMYK (**Dye based ink**)

**Web Width**  
1" - 4.29" (25.4 - 109 mm)

**Image Area**  
Width - 0.75" - 4.17" (19 - 105.9 mm) Length - 0.24" - 15.63" (6 - 397 mm) w/CQL or 0.24" - 30" (6 - 762 mm) w/ driver

Maximum roll diameter of 7.87" (200 mm)

QL-240



**Print Technology**  
CMYKK (**Dye based ink**)

**Web Width**  
2" - 9.5" (51 - 241 mm)

**Image Area**  
Width - 2" to 8.7" (51 - 220 mm) Length - 1"-30" (25 - 762 mm)

Maximum roll diameter of 9.8" (250 mm) on a 3" core

QL-800



**Print Technology**  
CMYK (**Dye based ink**)

**Web Width**  
1.75" - 6" (50.8 - 215.9 mm)

**Image Area**  
Width - 2" to 8.3" (51 - 211 mm) Length - 1"- 30" (25 - 762 mm)

Maximum roll diameter of 8" (203 mm) on a 3" core



iTech CYPHER



**Print Technology**  
On Demand Inkjet HP PageWideTechnology (**Pigment ink**)

**Web Width**  
5" - 8.5" (127 - 215.9 mm)

Maximum roll diameter of 12" (304.8 mm)



Trojan™ T2 Mini Press



**Print Technology**  
CMYK (**Dye based ink**)

**Web Width**  
2" - 9.5" (51 - 241 mm)

**Image Area**  
Width - 2" - 8.8" (51 - 223 mm) Length 0.4" - 60" (10 - 1525 mm)

Maximum roll diameter of 24" (600 mm) on a 3" core

Trojan™ T2-C



**Print Technology**  
CMYK (**Dye based ink**)

**Web Width**  
1.9" - 9.8" (50 - 250 mm)

**Image Area**  
Width - 8.8" (223 mm) Length 0.6" - 60" (15 - 1525 mm)

Maximum roll diameter of 12" (300 mm) on a 3" core

Trojan™ T4



**Print Technology**  
CMYK (**Dye based ink**)

**Web Width**  
2" - 9.5" (51 - 241 mm)

**Image Area**  
Width - 2" - 8.8" (51 - 223 mm) Length 0.4" - 60" (10 - 1525 mm)

Maximum roll diameter of 20" (500 mm) on a 3" core

# UV INKJET PRESSES

September 2018



Experts in "What If..."



## Domino N610i



### Print Technology

Piezo Drop on Demand  
UV Curable Ink

### Web Width

13.4" (340 mm)

### Image Width

13.11" (333 mm)

Maximum roll diameter of  
40" (1016 mm)



## Durst Tau 330



### Print Technology

UV Inkjet Technology  
Drop on Demand

### Web Width

6.5" - 13.7" (165.1 - 348 mm)

### Image Width

13" (330.2 mm)

Maximum roll diameter of  
25" (635 mm) on a 3" core



## Mark Andy Digital Series



### Print Technology

UV Inkjet Technology

### Web Width

13.25" (336.5 mm)

### Image Width

12.5" (317.5 mm) - digital  
print width



## Jetrion 4950LX LED Printer



### Print Technology

LED Technology

### Web Width

Maximum 13.75" (349 mm)

### Image Width

Up to 13" (330 mm)

## Jetrion 4900M & 4900M-330



### Print Technology

UV Digital Inkjet Technology

### Maximum Web Width

**4900M:** 9" (228.6 mm)  
**4900M-330:** 13.5" (350 mm)

### Image Width

**4900M:** 8.3" (210.8 mm)  
**4900M-330:** 13" (330 mm)



## MLabel



### Print Technology

UV Digital Inkjet Technology

### Web Width

10.24" (260 mm)

### Image Width

8.5" (216 mm) - widths of  
12.75", 17" and 21.25" (324,  
432 and 540 mm) upon  
request

# UV INKJET PRESSES

September 2018



Experts in "What If..."

**EPSON®**  
EXCEED YOUR VISION

**SurePress® L-6034VW**



**Print Technology**  
UV Inkjet Technology

**Web Width**  
3.15' to 13.39"  
(80 to 340 mm)

**Image Width**  
13" (330 mm)

**INX..®**

**NW210-E**



**Print Technology**  
UV Inkjet Technology

**Maximum Web Width**  
8.75" (222.2 mm)

**Image Width**  
8.25" (209.5 mm)

**SCREEN**

**Truepress Jet L350UV &  
L350UV+LM**



**Print Technology**  
UV Inkjet

**Web Width**  
3.9" - 13.7" (99 mm - 348 mm)

**Image Width**  
12.6" (320 mm)

Maximum roll diameter of 29.5"  
(749.3 mm)

## MICROPIEZO® INKJET TECHNOLOGY

**EPSON®**  
EXCEED YOUR VISION

**SurePress® L-4533A/AW**



**Print Technology**  
MicroPiezo® Inkjet Technology  
with durable, water-based resin  
ink

**Web Width**  
3.15" to 13.14" (80 to 334 mm)

**Image Width**  
12.4" (315.2 mm)



# COLOR TONER PRINTERS

## LED

September 2018



Experts in "What If..."



**Muratec PLS-275i**



**Print Technology**  
High-definition LED

**Web Width**  
6.5" - 8.5" (152 - 215 mm)

Maximum roll diameter  
of 11" (280 mm)



**Neuralabel 600e**



**Print Technology**  
High-Definition LED

**Web Width**  
6.5" - 8.5" (152 - 215 mm)

Maximum roll diameter  
of 11" (280 mm)



**any-002**



**Print Technology**  
LED Dry Color Laser

**Web Width**  
8.5" (215 mm)

Maximum roll diameter of 14.5"  
(370 mm) on a 3" core



**iTech CENTRA HS**



**Print Technology**  
LED Dry Toner

**Web Width**  
8.5" - 12.5" (215.9 - 317.5 mm)

Maximum roll diameter of  
14" (355.6 mm)

**iTech SPECTRUM HS**



**Print Technology**  
LED Dry Toner

**Web Width**  
6.5" - 8.5" (165 - 215.9 mm)

Maximum roll diameter of  
12" (304.8 mm)

# DRY TONER ELECTROPHOTOGRAPHY

September 2018



Experts in "What If..."

## XEIKON

### Zeikon CX500



**Print Technology**  
LED-array-based,  
Dry Toner  
Electrophotography

**Web Width**  
20.47" (520 mm)

**Image Width**  
20" (508 mm)

### Zeikon CX3



**Print Technology**  
LED-array-based,  
Dry Toner  
Electrophotography

**Web Width**  
7.9"- 13" (200 - 330 mm)

**Image Width**  
12.7" (322.6 mm)

### Zeikon3030



**Print Technology**  
LED-array-based,  
Dry Toner  
Electrophotography

**Web Width**  
7.9"- 13" (200 - 330 mm)

**Image Area**  
12.7" (322.5 mm)

### Zeikon3050



**Print Technology**  
LED-array-based,  
Dry Toner  
Electrophotography

**Web Width**  
9.8" - 20.3" (248.9 - 515.6 mm)

**Image Area**  
20" (508 mm)

## MARK ANDY

### Mark Andy Digital One



**Print Technology**  
Dry Toner  
Electrophotography

**Web Width**  
13" (330 mm)



KONICA MINOLTA

### Konica Minolta Accurio 190



**Print Technology**  
HD E Toner Technology

**Web Width**  
3.9" - 16.5" (100 - 420 mm)

**Image Area**  
12.6" (320mm)

Maximum roll diameter of  
33.4" (850 mm) 3" core

### Konica Minolta bizhub Press C71cf



**Print Technology**  
Dry Toner  
Electrophotography

**Web Width**  
13" (330.2 mm)

**Image Area**  
12.6" (320 mm)

Maximum roll diameter of 20"  
508 mm)

# ON DEMAND INKJET PRODUCTS

September 2018



Wausau coated

Experts in "What If..."

Catalog #	Product Description	Epson*	Afinia	Primera LX910 LX2000	Memjet Technology	Swift Color 2000 4000 8000	VIP 485 495 700	Neuralabel 300X	Allen Datagraph iTech CYPHER	Colordyne
W015013	38# Matte Inkjet/PCT-241/40# SC	x		x			x	x	x	
W002378	50# Premium Uncoated Inkjet/PCT-241/ 40# SC	x			x		x	x		x
W027787	50# Recycled Inkjet -100% PCW, FSC <sup>®</sup> Certified/PCT-242/52# Laser									
W024062	60# Satin Matte Inkjet/AT-2060 /40# SC	x	x		x		x	x	x	x
W017316	60# Matte Inkjet/PCT-241/40# SC			x	x		x		x	x
W019909	60# Matte Inkjet/AT-2060/ 40# SC	x	x	x	x	x	x	x		x
W030781	60# Matte Inkjet/R-2150+/40# SC	x		x	x	x	x	x		x
W030668	60# Matte Inkjet Blockout/PCT-265 Blockout+/40# SC		x						x	
W026126	55# Semi Gloss Inkjet/AT-2060 /40# SC		x		x					
W018890	60# Glossy Inkjet/PCT-241/ 40# SC	x		x	x			x		x
W023070	60# Glossy Inkjet/AT-2060/ 40# SC	x	x	x	x		x	x		x
W023115	60# Glossy Inkjet/PCT-242/ 52# Laser	x		x	x			x	x	x
W027827	60# Estate Label <sup>®</sup> #4 w/Wet Strength, FSC <sup>®</sup> Certified/ H-318 /44# PK		x						x	
W027834	60# Estate Label <sup>®</sup> #9 w/Wet Strength, FSC <sup>®</sup> Certified/ H-318 /44# PK		x						x	
W027802	60# Avon Brilliant White Classic <sup>®</sup> Linen w/Wet Strength, FSC <sup>®</sup> Certified /H-318/44# PK		x						x	
W026460	70# Bright White Felt - 30% PCW, w/Wet Strength, FSC <sup>®</sup> Certified /H-318/44# PK								x	
W027650	70# Eggshell Felt - 30% PCW, w/Wet Strength, FSC <sup>®</sup> Certified /H-318/44# PK								x	
W000432	55# Natural Kraft/P-6950/50# SC									x
W030692	55# Natural Kraft/AT-2060/ 52# Laser								x	

\*Not all facestocks listed work on all Epson printer models. Visit [www.epson.com](http://www.epson.com) for a qualified media solution by printer model.

# ON DEMAND INKJET PRODUCTS

September 2018



Wausau coated

Experts in "What If..."

Catalog #	Product Description	Epson*	Afinia	Primera LX910 LX2000	Memjet Techno- logy	Swift Color 2000 4000 8000	VIP 495 700	Neuralabel 300X	Allen Datagraph iTech CYPHER	Colordyne
W027060	60# Endura® Matte Inkjet Durable Paper, FSC® Certified/i8308/50# SC	x	x							
W027107	3.3 mil White Matte Inkjet Polypropylene/ i8308/50# SC	x								
W027572	3.5 mil White Matte Kimdura® DualTech®/ i8017/50# SC	x	x							
W022805	3.1 mil White Matte Inkjet Polypropylene/ PCT-241/40# SC			x				x	x	x
W018769	4 mil White Matte Inkjet Polypropylene/ PCT-241/40# SC	x			x		x	x	x	x
W023050*	5 mil White Matte Kimdura® Inkjet/ i8308/ 50# SC	x	x		x	x	x	x	x	
W019985*	5 mil White Matte Kimdura® Inkjet/ SW-95/50# SC	x			x	x	x	x	x	x
W024556	3.5 mil White Glossy Inkjet Polypropylene/AT-2060/40# SC	x		x	x			x	x	
W025324	3.5 mil White Glossy Inkjet Polypropylene/ AT-2060/50# SC	x	x	x	x			x	x	x
W024557	3.2 mil Clear Glossy Inkjet Polypropylene/ AT-2060/40# SC		x	x	x			x	x	x
W024545	2.8 mil White Glossy Inkjet Polyester/AT-2060/50# SC	x	x	x	x		x	x	x	x
W001362	4 mil White Matte Inkjet Vinyl/ PCT-950/ 80# Layflat	x					x	x	x	
W017062	8 pt. Glossy Photo-Quality Inkjet Tag			x	x			x	x	
W023930	10 pt. Glossy Inkjet Tag	x	x		x		x	x	x	x

\*Certified for BS 5609, Section 2 & 3

\*Not all facestocks listed work on all Epson printer models. Visit [www.epson.com](http://www.epson.com) for a qualified media solution by printer model.

VersaPly™ is a trademark of Wausau Coated Products, Inc.  
 Estate Label®, Classic® Linen, Classic Crest®, Endura®, Kimdura® and DualTech® are registered trademarks of Neenah Inc.  
 Polyart® is a registered trademark of Arjobex.  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

# UV INKJET PRODUCTS

September 2018



Wausau coated

Experts in "What If..."

Catalog #	Facestock	Jetrion 4900	Jetrion 4950LX LED	Domino	Durst Tau	INX	Screen Truepress	Mark Andy	M Print
W019134	60# Semi Gloss Optimized for UV Inkjet Presses/ PCT-241/40# SC	x	x	x	x	x	x	x	x
W015353	55# Semi Gloss - FSC <sup>®</sup> Certified/PCT-245/40# SC	x	x	x	x	x	x	x	x
W027827	60# Estate Label <sup>®</sup> #4 w/Wet Strength, FSC <sup>®</sup> Certified/ H-318/44# PK	x							
W027834	60# Estate Label <sup>®</sup> #9 w/Wet Strength, FSC <sup>®</sup> Certified/ H-318/44# PK	x							
W026460	70# Bright White Felt w/30% PCW, w/Wet Strength, FSC <sup>®</sup> Certified/H-318/44# PK	x							x
W027650	70# Eggshell Felt - 30% PCW, w/Wet Strength, FSC <sup>®</sup> Certified/H-318/44# PK	x							
W012035	63# Silver Metalized Paper/PCT-241/40# SC	x	x	x	x	x	x		x
W027926	2.3 mil White T/C Polypropylene/AT-2060/40# SC	x							
W017454	2.3 mil White T/C Polypropylene/AT-2060/50# SC	x		x		x	x	x	
W027927	2.6 mil White T/C Polypropylene/AT-2060/40# SC	x		x	x	x			x
W029462	2.6 mil White T/C Polypropylene/AT-2060/1.2 mil PET			x					
W029463	2.6 mil White T/C Polypropylene/AT-2060/44# PK			x					
W029464	2.6 mil White T/C Polypropylene/PCT-524/40# SC			x					
W029465	2.6 mil White T/C Polypropylene/i8308/40# SC			x					
W029466	2.6 mil White T/C Polypropylene/R-2150+/40# SC			x					
W000696	2.6 mil White T/C Polypropylene/F-590/40# SC	x			x				
W000610	2.6 mil White T/C Polypropylene/P-872/40# SC	x			x				
W029148	2 mil Clear T/C Polypropylene/AT-2060/40# SC	x				x			
W016358	2 mil Clear Polypropylene/CP-300/1.2 mil PET			x			x	x	
W026027	2 mil Clear T/C Polypropylene/CP-300/1.2 mil PET			x	x				x
W025420	2 mil Metalized T/C Polypropylene/AT-2060/40# SC	x		x					
W028783	2 mil Metalized T/C Polypropylene/AT-2060/50# SC			x	x				
W026292	2 mil Metalized T/C Polypropylene/AT-2060/ 1.2 mil PET			x					
W013956	2 mil Clear Polyester/CP-300/50# SC	x			x			x	
W011930	3 mil White Squeezable Polyolefin/SP-920/50# SC	x			x	x		x	
W029692	3.4 mil White Matte Flexible Vinyl/SP-920/40# SC	x			x				

Note: Not all products listed are qualified for all Inkjet Print Technologies. If a product is not listed as compatible with a particular printer it may be that it has not yet been submitted for qualification. We continue to expand our digital product offerings by working with OEM's (Original Equipment Manufacturers) to ensure our products will consistently perform to your expectations. If a product constructed with one of the facestocks listed works in a particular printer model, all other products constructed with that same facestock should work. Some adhesives may be impacted by web paths and temperature. Small trial rolls are available and recommended to determine the compatibility of any product with a particular piece of print technology. Contact our Customer Service Department at 800-345-8039 for more information.

# COLOR TONER PRODUCTS

September 2018



Wausau coated

Experts in "What If..."

Catalog #	Facestock	iTech CENTRA HS	iTech SPECTRUM HS	Muratec Precision Label Series	Neuralabel	Arrow any-002
W002378	50# Premium Uncoated Laser/PCT-241/40# SC	x	x	x	x	x
W002329	50# Premium Uncoated Laser/PCT-242/52# Laser	x	x	x	x	
W002330	50# Premium Uncoated Laser/PCT-242 Blockout/50# SC	x	x	x	x	
W027787	50# Recycled Laser w/100% PCW/PCT-242/52# Laser					x
W024062	60# Satin Matte Laser/AT-2060/40# SC	x	x	x	x	x
W030011	60# Matte/PCT-241/40# SC			x	x	x
W008663	60# Semi Gloss/PCT-241/40# SC	x	x	x	x	x
W009475	60# Semi Gloss/PCT-241 Blockout/40# SC	x	x	x	x	
W009481	60# Semi Gloss/R-201/40# SC	x	x	x	x	
W000432	55# Natural Kraft/PCT-6950/50# SC	x	x	x	x	
W026462	60# Estate Label® #8 w/Wet Strength,FSC® Certified/ H-318/44# PK	x	x	x	x	x
W025550	60# Estate Label® #8 w/Wet Strength, FSC® Certified/ H-318/1.2 mil PET	x	x	x	x	
W027805	60# Avon Brilliant White Classic Crest® w/Wet Strength, FSC® Certified/ H-318/44# PK	x	x	x	x	
W007737	70# Bright Gold Laser Foil/PCT-242/52# Laser		x	x	x	
W013030	70# Dull Gold Laser Foil/PCT-242/52# Laser	x	x	x	x	
W007740	70# Bright Silver Laser Foil/PCT-242/52# Laser		x	x	x	
W017862	70# Dull Silver Laser Foil/PCT-242/52# Laser	x	x	x	x	
W027572	3.5 White Matte Kimdura® DualTech®/i8017/50# SC			x	x	x
W024557	3.2 mil Clear T/C Glossy Polypropylene/AT-2060/40# SC	x	x			
W014775	2 mil Clear Laser Polyester/PCT-242/52# Laser					
W018273	3.5 mil White Laser Polyester/PCT-242/50# SC					
W018485	3.4 mil White T/C Flexible Vinyl/i8303/80# Layflat	x	x	x	x	
W024167	7 mil Teslin/R-166/80# Layflat	x	x	x	x	
W029002	3 mil Matte VersaPly™/H-311/3 mil Matte VersaPly™					x
W011204	3 mil Gloss VersaPly™/R-2211/80# Layflat	x	x	x	x	x
W023826	3 mil Gloss VersaPly™/H-311/80# Layflat					
W023575	Natural Kraft VersaPly™/R-2211/6 mil BKS					

Fluorescent facestocks in your choice of Red, Green, Orange, Chartruse and Pink with a permanant adhesive and a choice of 40# SC or 52# liner are available. Contact Customer Service at 800-345-8039 for more information.

# DRY TONER ELECTROPHOTOGRAPHY PRODUCTS

September 2018



Wausau coated

Experts in "What If..."

Catalog #	Facestock	Konica Minolta	Mark Andy Digital One	Xeikon 3000 Series
W008663	60# Semi Gloss/PCT-241/40# SC	X	X	X
W008645	60# Semi Gloss/PCT-245/44# PK	X		
W009475	60# Semi Gloss/PCT-241 Blockout/40# SC	X		
W009481	60# Semi Gloss/R-201/40# SC	X		
W019134	60# Semi Gloss/PCT-241/40# SC		X	
W019026	60# High Gloss/PCT-245/44# PK			X
W022770	60# Matte w/Wet Strength/WL-100/44# PK			X
W027827	60# Estate Label <sup>®</sup> #4 w/Wet Strength, FSC <sup>®</sup> Certified/H-318/44# PK			X
W026462	60# Estate Label <sup>®</sup> #8 w/Wet Strength, FSC <sup>®</sup> Certified/H-318/44# PK	X		X
W025550	60# Estate Label <sup>®</sup> #8 w/Wet Strength, FSC <sup>®</sup> Certified/H-318/1.2 mil PET		X	X
W027834	60# Estate Label <sup>®</sup> #9 w/Wet Strength, FSC <sup>®</sup> Certified/H-318/44# PK	X	X	
W027802	60# Avon Brilliant White Classic <sup>®</sup> Linen w/Wet Strength, FSC <sup>®</sup> Certified /H-318/44# PK	X		X
W026460	70# Bright White Felt w/30% PCW, w/Wet Strength, FSC <sup>®</sup> Certified /H-318 /44# PK	X		X
W027651	70# Eggshell Felt w/30% PCW, w/Wet Strength, FSC <sup>®</sup> Certified/H-318/44# PK			X
W025154	63# Silver Metalized Paper/PCT-245/40# SC			X
W025346	63# Silver Metalized Paper/PCT-245/44# PK			X
w012035	63# Silver Metalized Paper/PCT-241/40# SC		X	
W011930	3 mil Ply-Rite/920/50# SC		X	
W025420	2 mil Digital T/C Metalized Polypropylene/AT-2060/40# SC		X	X
W018153	2 mil Digital T/C Metalized Polypropylene/AT-2060/50# SC			X
W026292	2 mil Digital T/C Metalized Polypropylene/AT-2060/1.2 mil PET			X
W016187	2 mil Digital T/C Rainbow Holographic Polyester/AT-2060/50# SC			X
W023269	2.3 mil White T/C Polypropylene/AT-2060/40# SC			X
W024469	2.6 mil White T/C Polypropylene/AT-2060/40# SC		X	X
W000696	2.6 mil White T/C Polypropylene/F-590/40# SC	X		
W013956	2 mil Clear T/C Polypropylene/CP-300/50# SC	X	X	
W016358	2 mil Clear T/C Polypropylene/CP-300/1.2 mil PET			X
W017454	2.3 mil White T/C Polypropylene/AT-2060/50# SC	X	X	

The products highlighted in red have been tested and qualified for the Xeikon CX3 platform and the scripts for these substrates can be found at <https://printmedia.xeikon.com> and downloaded.

\*Mark Andy recommends testing of film products as the environment may affect runnability.

VersaPly™ is a trademark of Wausau Coated Products, Inc.

Estate Label<sup>®</sup>, Classic<sup>®</sup> Linen, Classic Crest<sup>®</sup>, Endura<sup>®</sup>, Kimdura<sup>®</sup> and DualTech<sup>®</sup> are registered trademarks of Neenah Inc.

Polyart<sup>®</sup> is a registered trademark of Arjoberg.

FSC<sup>®</sup> is a registered trademark of the Forest Stewardship Council<sup>®</sup> FSC<sup>®</sup> C008943

## Experts in “What If...”

To some “What If” is an anxiety-producing endeavor because of endless possibilities, while others are excited with the challenge.

At Wausau Coated we have a passion for “What If”. We work to give you choices and options, where you did not believe they existed.

Together we can develop your own specialized solution.



Wausau Coated Products is a leading manufacturer of pressure sensitive roll labelstock. Committed to providing excellent service and high quality products, Wausau Coated understands that in today's business environment superior quality, quick delivery times and cost efficiencies are critical to success.

Our assortment of digital products fulfills these requirements by providing users of digital technologies with a broad selection of paper and film substrates. We continue to expand our digital product offerings and work closely with the OEMs (Original Equipment Manufacturers) to ensure that our products will consistently perform to your expectations.

### **Stocked Products**

Wausau Coated features a broad line of stocked pressure sensitive products for Inkjet and Color Toner printers and presses. All of our stocked items are available for immediate shipment with a low minimum order quantity. Trial rolls are available and recommended to determine the suitability of any product for a particular application.

### **Custom Products**

In addition to our stocked items, we can mix and match many of our facestocks with various adhesive technologies and liner options. Our knowledgeable sales team and technical staff rise to any challenge related to adhesive-based label materials to quickly turn a concept into a product, delivering a solution that will give you the competitive advantage.

Share your “What If” challenge with us and see how we can help you.



**wausau coated**

Wausau Coated Products, Inc.  
7801 Stewart Avenue | Wausau, WI 54401  
Phone: 800-345-8039 | Email: [info@wausaucoated.com](mailto:info@wausaucoated.com)  
[www.wausaucoated.com](http://www.wausaucoated.com)