

OPTIMIZED FOR HP INDIGO INTERNATIONAL ROLL STOCK LIST

August 2020



Experts in "What If..."

Wausau Coated Products is a leading manufacturer of pressure sensitive roll labelstock. Committed to providing excellent service and high-quality products, Wausau Coated understands that in today's business environment superior quality, quick delivery times and cost efficiencies are critical to success.

Our assortment of digital products fulfills these requirements by providing users of HP Indigo digital presses with a broad selection of paper, film and specialty substrates. The items listed on the following pages are stocked and available for immediate shipment with a low minimum order quantity. In addition to our stocked items, we can mix and match many of our Indigo facestocks with various adhesive technologies and liner options.

For additional information contact our Customer Service Department at **800-345-8039** or visit our website **www.wausaucoated.com**.



OPTIMIZED FOR HP INDIGO

INTERNATIONAL ROLL STOCK LIST

May 2020



Wausau Coated

Experts in "What If..."

Catalog #	Facestock	Adhesive	Liner	Roll Width	Microns	Warehouse		
						WI	MX	SCL
COATED PAPERS								
W019029	60# High Gloss (85 GSM)	PCT-245	40# SC (66 GSM)	990 mm	174	x		
W027672	60# High Gloss (85 GSM)	H-318	44# PK (72 GSM)	990 mm	194	x		
W019027	60# High Gloss (85 GSM)	PCT-245	44# PK (72 GSM)	990 mm	192	x		
W027742	60# High Gloss (85 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	143	x		
W019467	54# Semi Gloss (80 GSM)	PCT-245	40# SC (66 GSM)	990 mm	147	x		
 W015353	55# Semi Gloss - FSC® Certified (81 GSM)	PCT-245	40# SC (66 GSM)	990 mm	161	x	x	x
W011752	60# Semi Gloss (89 GSM)	PCT-245	40# SC (66 GSM)	990 mm	157	x		
W017485	60# Semi Gloss (89 GSM)	PCT-245 Blockout	40# SC (66 GSM)	990 mm	157	x		
W011376	60# Semi Gloss (89 GSM)	PCT-524	40# SC (66 GSM)	990 mm	160	x		
W016052	60# Semi Gloss (89 GSM)	AT-2060	40# SC (66 GSM)	990 mm	157	x		
W007669	60# Semi Gloss (89 GSM)	R-201	40# SC (66 GSM)	990 mm	155	x		
W027838	60# Semi Gloss (89 GSM)	H-318	44# PK (72 GSM)	990 mm	176	x		
W008646	60# Semi Gloss (89 GSM)	PCT-245	44# PK (72 GSM)	990 mm	174	x		
W027840	60# Semi Gloss (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	125	x		
W024040	60# Matte Litho (89 GSM)	PCT-245	40# SC (66 GSM)	990 mm	172	x		
W030285	60# Matte Litho (89 GSM)	H-318	44# PK (72 GSM)	990 mm	191	x		
W027761	60# Matte Litho w/Wet Strength (90 GSM)	H-318	44# PK (72 GSM)	990 mm	188	x		
W027824	60# Matte Litho w/Wet Strength (90 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	138	x		
 W030160	70# Recycled Matte (GSM)	H-318	44# PK (72 GSM)	990 mm	93	x		

A signifies an environmentally friendly facestock.

Minimum order quantity for orders shipping from Wausau, WI warehouse is one roll at 12 - 13" x 1,668 LF.

Minimum order quantity for orders shipping from all other warehouses is one master x 1,668 LF.

WI = Wausau, Wisconsin MX = Mexico, City, Mexico SCL = Chile

OPTIMIZED FOR HP INDIGO

INTERNATIONAL ROLL STOCK LIST

May 2020



Wausau Coated

Experts in "What If..."

Catalog #	Facestock	Adhesive	Liner	Roll Width	Microns	Warehouse		
						WI	MX	SCL
WINE, BEVERAGE & GOURMET FOOD								
 W028890	60# Estate Label® #4 w/Wet Strength, FSC® Certified (89 GSM)	H-318	40# SC (66 GSM)	990 mm	212	x	x	
 W027828	60# Estate Label® #4 w/Wet Strength, FSC® Certified (89 GSM)	H-318	44# PK (72 GSM)	990 mm	229	x		
 W028253	60# Estate Label® #4 w/Wet Strength, FSC® Certified (89 GSM)	P-885	44# PK (72 GSM)	990 mm	233	x		
 W027833	60# Estate Label® #4 w/Wet Strength, FSC® Certified (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	179	x		
 W028166	60# Estate Label® #8 w/Wet Strength, FSC® Certified (89 GSM)	H-318	40# SC (66 GSM)	990 mm	204	x	x	
 W027826	60# Estate Label® #8 w/Wet Strength, FSC® Certified (89 GSM)	H-318	44# PK (72 GSM)	990 mm	222	x		
 W028040	60# Estate Label® #8 w/Wet Strength, FSC® Certified (89 GSM)	P-885	44# PK (72 GSM)	990 mm	226	x		
 W025551	60# Estate Label® #8 w/Wet Strength, FSC® Certified (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	171	x		
 W024689*	60# Estate Label® #8 w/Wet Strength, FSC® Certified (89 GSM)	i8017	1.2 mil PET (PET 30)	990 mm	180	x		
 W023295	60# Estate Label® #8 w/Wet Strength, FSC® Certified (89 GSM)	PCT-524	1.2 mil PET (PET 30)	990 mm	175	x		
 W028894	60# Estate Label® #9 w/Wet Strength, FSC® Certified (89 GSM)	H-318	40# SC (66 GSM)	990 mm	220	x	x	
 W027835	60# Estate Label® #9 w/Wet Strength, FSC® Certified (89 GSM)	H-318	44# PK (72 GSM)	990 mm	237	x		
 W029058	60# Estate Label® #9 w/Wet Strength, FSC® Certified (89 GSM)	P-885	44# PK (72 GSM)	990 mm	241	x		
 W023234	60# Estate Label® #9 w/Wet Strength, FSC® Certified (89 GSM)	PCT-524	44# PK (72 GSM)	990 mm	241	x		
 W027886	60# Estate Label® #9 w/Wet Strength, FSC® Certified (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	186	x		
 W027842	60# Avon Brilliant White Classic® Linen w/Wet Strength, FSC® Certified (89 GSM)	H-318	44# PK (72 GSM)	990 mm	212	x	x	
 W029062	60# Avon Brilliant White Classic® Linen w/Wet Strength, FSC® Certified (89 GSM)	P-885	44# PK (72 GSM)	990 mm	215	x		
 W027899	60# Avon Brilliant White Classic® Linen w/Wet Strength, FSC® Certified (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	161	x		
 W027845	60# Avon Brilliant White Classic Crest® w/Wet Strength, FSC® Certified (89 GSM)	H-318	44# PK (72 GSM)	990 mm	212	x	x	
 W027847	60# Avon Brilliant White Classic Crest® w/Wet Strength, FSC® Certified (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	161	x		
 W028897	60# Solar White Classic Crest® - 30% PCW, w/Wet Strength, FSC® Certified (89 GSM)	H-318	44# PK (72 GSM)	990 mm	212	x		
 W029459	60# Solar White Classic Crest® - 30% PCW, w/Wet Strength, FSC® Certified (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	161	x		

*Suitable for Neck Label

A signifies an environmentally friendly facestock.

OPTIMIZED FOR HP INDIGO INTERNATIONAL ROLL STOCK LIST May 2020

Catalog #	Facestock	Adhesive	Liner	Roll Width	Microns	Warehouse		
						WI	MX	SCL
WINE, BEVERAGE & GOURMET FOOD								
 W028046	60# Classic Natural White Classic Crest® w/Wet Strength, FSC® Certified (192 GSM)	H-318	44# PK (72 GSM)	990 mm	218	x		
 W027852	70# Natural Felt - 30% PCW, w/Wet Strength (104 GSM)	H-318	44# PK (72 GSM)	990 mm	255	x	x	
 W029064	70# Natural Felt - 30% PCW, w/Wet Strength (104 GSM)	P-885	44# PK (72 GSM)	990 mm	255	x		
 W027854	70# Natural Felt - 30% PCW, w/Wet Strength (104 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	204	x		
 W028147	70# Bright White Felt - 30% PCW, w/Wet Strength, FSC® Certified (104 GSM)	H-318	40# SC (66 GSM)	990 mm	247	x	x	
 W027649	70# Bright White Felt - 30% PCW, w/Wet Strength, FSC® Certified (104 GSM)	H-318	44# PK (72 GSM)	990 mm	264	x		
 W028255	70# Bright White Felt - 30% PCW, w/Wet Strength, FSC® Certified (104 GSM)	P-885	44# PK (72 GSM)	990 mm	264	x		
 W026971	70# Bright White Felt - 30% PCW, w/Wet Strength, FSC® Certified (104 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	213	x	x	
 W027510*	70# Bright White Felt - 30% PCW, w/Wet Strength, FSC® Certified (104 GSM)	i8017	1.2 mil PET (PET 30)	990 mm	218	x	x	
 W027651	70# Eggshell Felt - 30% PCW, w/Wet Strength, FSC® Certified (104GSM)	H-318	44# PK (72 GSM)	990 mm	269	x	x	
 W028583	70# Eggshell Felt - 30% PCW, w/Wet Strength, FSC® Certified (104GSM)	P-885	44# PK (72 GSM)	990 mm	269	x		
 W027877	70# Eggshell Felt - 30% PCW, w/Wet Strength, FSC® Certified (104 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	218	x		
 W029017	60# Starlight Diamond w/Wet Strength, FSC® Certified (90 GSM)	H-318	44# PK (72 GSM)	990 mm	212	x		
 W029026	60# Starlight w/Wet Strength, FSC® Certified (90 GSM)	H-318	44# PK (72 GSM)	990 mm	212	x	x	
 W029023	60# Starlight Linear w/Wet Strength, FSC® Certified (90 GSM)	H-318	44# PK (72 GSM)	990 mm	212	x		
W029021	60# Shimmer w/Wet Strength (90 GSM)	H-318	44# PK (72 GSM)	990 mm	190	x		
 W029020	60# Pearlescent w/Wet Strength, FSC® Certified (90 GSM)	H-318	44# PK (72 GSM)	990 mm	213	x		
 W029461	60# Pearlescent w/Wet Strength, FSC® Certified (90 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	162	x		
 W029019	60# White Gold w/Wet Strength, FSC® Certified (90 GSM)	H-318	44# PK (72 GSM)	990 mm	213	x		
 W029280	70# Sunset Gold Felt - 30% PCW, w/Wet Strength, FSC® Certified (90 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	220	x		
 W029281	60# Gold Starlight, w/Wet Strength, FSC® Certified (90 GSM)	H-318	44# PK (72 GSM)	990 mm	213	x		
 W027811	70# Cotton Courtyard (100% Cotton) w/ Wet Strength (198 GSM)	H-318	44# PK (72 GSM)	990 mm	262	x		
 W028068	70# Cotton Courtyard (100% Cotton) w/ Wet Strength (198 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	212	x		
W027929	60# White Motif w/Wet Strength (186 GSM)	H-318	44# PK (72 GSM)	990 mm	224	x		

*Suitable for Neck Label

A  signifies an environmentally friendly facestock.

Catalog #	Facestock	Adhesive	Liner	Roll Width	Microns	Warehouse		
						WI	MX	SCL
WINE, BEVERAGE & GOURMET FOOD								
W028496	70# Ginseng w/Wet Strength (172 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	176	x		
W030321	60# Casa Blanca w/Wet Strength (163 GSM)	i8017	1.2 mil PET (PET 30)	990 mm	175	x		
W029076	60# Tramado Blanco w/Wet Strength (90 GSM)	H-318	44# PK (72 GSM)	990 mm	214	x		
W027902	60# Martele White w/Wet Strength (90 GSM)	H-318	44# PK (72 GSM)	990 mm	218	x		
W026261	60# White Latitude w/Wet Strength (89 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	171	x		
W027168	60# White Cobblestone w/Wet Strength (163 GSM)	i8017	1.2 mil PET (PET 30)	990 mm	177	x		
W026242	74# Polar White Opaque w/Wet Strength (110 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	187	x		
 W021008	55# Recycled Natural Kraft - 100% PCW (81GSM)	PCT-245	40# SC (66 GSM)	990 mm	230	x	x	
 W026571	55# Recycled Natural Kraft - 100% PCW (81GSM)	H-318	1.2 mil PET (PET 30)	990 mm	196	x		
W031478	Cherry Wood Veneer (138 GSM)	i8017	1.2 mil PET (PET 30)	990 mm	312	x		
W031558	Birch Wood Veneer (138 GSM)	i8017	1.2 mil PET (PET 30)	990 mm	312	x		
W026343	7pt. Desert Sand Frontier™ (150 GSM)	i8308	1.2 mil PET (PET 30)	660 mm	230	x		
W026339	7pt. Sierra Red Frontier™ (150 GSM)	i8308	1.2 mil PET (PET 30)	660 mm	230	x		
W029546	Satin Cloth (138 GSM)	i8308	44# PK (72 GSM)	660 mm	250	x		
W028844	60# Black Vellum w/Wet Strength (180 GSM)	H-318	44# PK (72 GSM)	990 mm	229	x		
W028128	60# Black Vellum w/Wet Strength (180 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	173	x		
 W030343	Aged Agave 100% PCW, w/Wet Strength, FSC® Certified (142 GSM)	H-318	1.2 mil PET (PET 30)	990 mm	153	x	x	
 W029180	60# Recycled Vellum - 100% PCW, w/Wet Strength, FSC® Certified (89 GSM)	H-318	44# PK (72 GSM)	990 mm	229	x	x	
W029235	Ever Opaque™ XL - Matte Litho w/Wet Strength	PW-831	1.2 mil PET (PET 30)	990 mm	156	x		
 W028788	Ever Opaque™ XL - Estate Label® #8 w/Wet Strength, FSC® Certified	PW-831	1.2 mil PET (PET 30)	990 mm	189	x	x	
 W029195	Ever Opaque™ XL - Estate Label® #8 w/Wet Strength, FSC® Certified	PW-831	44# PK (72 GSM)	990 mm	240	x		
 W029234	Ever Opaque™ XL - Estate Label® #9 w/Wet Strength, FSC® Certified	PW-831	1.2 mil PET (PET 30)	990 mm	205	x	x	
 W029233	Ever Opaque™ XL - Avon Brilliant White Classic Crest® w/Wet Strength, FSC® Certified	PW-831	1.2 mil PET (PET 30)	990 mm	179	x		
 W028785	Ever Opaque™ XL - Bright White Felt w/30% PCW, w/Wet Strength, FSC® Certified	PW-831	1.2 mil PET (PET 30)	990 mm	228	x	x	
 W029232	Ever Opaque™ XL - Eggshell Felt w/30% PCW, w/Wet Strength, FSC® Certified	PW-831	1.2 mil PET (PET 30)	990 mm	232	x		
 W017352	4 mil White Stone Paper (100 microns)	PCT-245	40# SC (66 GSM)	990 mm	181	x	x	

A  signifies an environmentally friendly facestock.

Catalog #	Facestock	Adhesive	Liner	Roll Width	Microns	Warehouse		
						WI	MX	SCL
SPECIALTY PRODUCTS								
W012900	63# Silver Metalized Paper (93 microns)	PCT-245	44# PK (72 GSM)	990 mm	173	x		
W012036	63# Silver Metalized Paper (93 microns)	PCT-245	40# SC (66 GSM)	990 mm	162	x	x	x
W022636	63# Silver Metalized Paper (93 microns)	WL-100	1.2 mil PET (PET 30)	990 mm	129	x		
W011378	70# Dull Silver Foil (106 microns)	PCT-524	40# SC (66 GSM)	660 mm	172	x	x	x
W029061	70# Dull Silver Foil (106 microns)	P-885	44# PK (72 GSM)	660 mm	194	x		
W015257	70# Dull Silver Foil (106 microns)	PCT-524	44# PK (72 GSM)	660 mm	192	x		
W022887	70# Bright Silver Foil (104 microns)	WL-100	44# PK (72 GSM)	660 mm	191	x		
W016451	60# Shimless Rainbow Holographic Paper (85 microns)	AT-2060	40# SC (66 GSM)	660 mm	153	x	x	
FILMS								
W018134	2.6 mil White Polypropylene (65 microns)	AT-2060	40# SC (66 GSM)	990 mm	145	x	x	
W017954	2.6 mil White Polypropylene (65 microns)	AT-2060	1.2 mil PET (PET 30)	990 mm	112	x		
W018510	2.6 mil White Polypropylene (65 microns)	AT-2060	44# PK (72 GSM)	990 mm	162	x		
W012825	2.6 mil White Polypropylene (65 microns)	PCT-524	40# SC (66 GSM)	990 mm	149	x	x	
W020558	2.6 mil White Polypropylene (65 microns)	i8308	40# SC (66 GSM)	990 mm	152	x		
W017290	2.6 mil White Polypropylene (65 microns)	R-2150+	40# SC (66 GSM)	990 mm	137	x		
W018140	2.3 mil White Polypropylene (57.5 microns)	AT-2060	40# SC (66 GSM)	990 mm	137	x	x	x
W017956	2.3 mil White Polypropylene (57.5 microns)	AT-2060	1.2 mil PET (PET 30)	990 mm	104	x		
W018146	2 mil Clear Polypropylene (50 microns)	AT-2060	40# SC (66 GSM)	990 mm	130	x	x	
W011594	2 mil Clear Polypropylene (50 microns)	CP-300	1.2 mil PET (PET 30)	990 mm	95	x	x	
W021703	2 mil Clear Polypropylene (50 microns)	R-167	50# SC (85 GSM)	990 mm	143	x		
W022045	2 mil Metalized Polypropylene (50 microns)	PCT-245	40# SC (66 GSM)	990 mm	131	x		
W019205	2 mil Metalized Polypropylene (50 microns)	AT-2060	40# SC (66 GSM)	990 mm	128	x		
W018153	2 mil Metalized Polypropylene (50 microns)	AT-2060	50# SC (85 GSM)	990 mm	147	x		
W020187	2 mil Metalized Polypropylene (50 microns)	AT-2060	1.2 mil PET (PET 30)	990 mm	96	x		
W016187	2 mil Shimless Rainbow Holographic Film (50 microns)	AT-2060	50# SC (85 GSM)	660 mm	147	x	x	
W031091	2.4 mil White Polyolefin (61 microns)	F-590	40# SC	990 mm	147	x	x	
W021143	3 mil White Polyolefin (76 microns)	PCT-245	40# SC	990 mm	156	x	x	
W018885	3.4 mil White Matte Flexible Vinyl (85 microns)	SP-920	40# SC (66 GSM)	660 mm	173	x		
W018990	3.4 mil White Matte Flexible Vinyl (85 microns)	SP-920	80# (118 GSM)	660 mm	184	x		
W011673	3.4 mil White Glossy Flexible Vinyl (85 microns)	PCT-245	50# SC (85 GSM)	660 mm	188	x		
UNSUPPORTED PAPERS & TAGS								
W013691	60# Semi Gloss (89 GSM)	-	-	990 mm	77	x		
W028855	10 Pt. CIS Tag (198GSM)	-	-	990 mm	255	x		

A  signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin MX = Mexico, City, Mexico SCL = Chile

Ever Opaque™ XL is a trademark of Wausau Coated Products, Inc.

Estate Label®, Classic Crest® and Classic® Linen are registered trademarks of Neenah, Inc.

FSC® is a registered trademark of the Forest Stewardship Council®

FSC® C008943